



US00D583425S

(12) **United States Design Patent**
Kushner

(10) **Patent No.:** **US D583,425 S**
(45) **Date of Patent:** **** Dec. 23, 2008**

(54) **DANCING POLE KIT**

(76) **Inventor:** **Robert Gerald Kushner**, Flat G, Block
G Merry Terrace, 4 Seymour Road,
Mid-Levels (HK)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/267,186**

(22) **Filed:** **Oct. 6, 2006**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/686; D21/691**

(58) **Field of Classification Search** **D21/662,**
D21/686, 691, 694; D25/126; D8/376; D11/181;
441/11; 482/23, 33

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,001,754	A *	9/1961	Fowler	248/357
D241,426	S *	9/1976	Davis	D25/126
D257,245	S *	10/1980	Neal	D11/181
D260,074	S *	8/1981	Lewis	D8/376
4,733,844	A *	3/1988	Molloy	248/354.1
4,824,302	A *	4/1989	Schultheis et al.	410/151
4,928,916	A *	5/1990	Molloy	248/354.1
5,069,570	A *	12/1991	Pryor et al.	403/109.5
5,070,550	A *	12/1991	Reeves	4/608
D331,872	S *	12/1992	Maruko	D8/376
D373,884	S *	9/1996	Price	D34/31
6,082,945	A *	7/2000	Jeffries et al.	414/11
6,186,715	B1 *	2/2001	Oliviero	410/151
6,651,831	B2 *	11/2003	Samelson	211/105.3
6,824,000	B2 *	11/2004	Samelson	211/105.3
D516,901	S *	3/2006	Murray	D8/376
D549,085	S *	8/2007	Mevissen et al.	D8/376
2004/0063554	A1 *	4/2004	Wince	482/108

OTHER PUBLICATIONS

Kitten-Kit Kitten-Pole, Found on the kitten-kit.com websight. Winner of awards in 2004 and 2005.*
Affections .com websight, Peck-A-Poo Stipper pole Dancing Sct.*

* cited by examiner

Primary Examiner—Philip S Hyder

(74) *Attorney, Agent, or Firm*—Stuart A. Whittington, Esq.

(57) **CLAIM**

The ornamental design for a dancing pole kit, as shown.

DESCRIPTION

A kit of components that when assembled comprises a pole adapted for dancing.

FIG. 1 is a front view of a dancing pole kit disassembled according to aspects of the present invention;

FIG. 2 is a front view of the assembled components of the dancing pole kit;

FIG. 3 is a front view of a lower pole section of the dancing pole kit;

FIG. 4 is a front view of a mid pole section of the dancing pole kit;

FIG. 5 is a front view of an upper pole section of the dancing pole kit having an extension member in a contracted state;

FIG. 6 is a front view of the upper pole section of FIG. 5 in an extended state;

FIG. 7 is a bottom perspective view of the top mounting component of the dancing pole kit;

FIG. 8 is a top perspective view of the top mounting component of the dancing pole kit;

FIG. 9 is a bottom view of the top mounting component of the dancing pole kit;

FIG. 10 is a bottom perspective view of the bottom mounting component of the dancing pole kit;

FIG. 11 is a top perspective view of the bottom mounting component of the dancing pole kit;

FIG. 12 is a bottom view of the bottom mounting component of the dancing pole kit; and,

FIG. 13 is a top view of the bottom mounting component of the dancing pole kit.

1 Claim, 5 Drawing Sheets






Fig. 1



Fig. 2




Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13